



ES Compleat™ NOAT

Lifetime, Heavy-Duty, Fully-Formulated Antifreeze/Coolant

Performance

- Life-of-the-Engine, 1,000,000-mile antifreeze/coolant with use of extender at 600,000 miles
- Amine, phosphate, silicate, and 2-EH free formulation
- Provides antifreeze and anti boil protection
- Ideal for systems requiring nitrite-containing coolant
- Less susceptible to contamination than hybrid and conventional technologies
- Compatible with all on- and off-highway system elastomers

Versatility

- Compatible with HD ELC, NOAT, and EC-1 systems
- Available in 50/50 and Concentrate

Serviceability

- Low maintenance with no SCA precharge and long service life
- Compatible with chemical free ES water filters



ES Compleat NOAT	EG Concentrate	EG PreMix ^{50/50}
(3) 1 Gallon Bottles	CC36166USJ	CC36161USJ CC36161CSJ (Canada Only)
55 Gallon Drum	CC36166USD	CC36161USD
275 Gallon Plastic Tote Bulk	CC36166UST	CC36161UST
Bulk	CC36166US	CC36161US

Fleetguard coolant part numbers apply to both US and Canada, except where separate part numbers are noted.

Use ES Compleat NOAT to provide superior engine protection and extend service intervals.

Specifications

Specification	Performance Standard	NOAT Concentrate	NOAT Premix 50/50
Color	Visual	Red	Red
Specific Gravity @ 60° F (15.56° C)	D1122	1.13	1.08
Density	–	9.43 lb/gal (1.13 kg/L)	9.04 lb/gal (1.08 kg/L)
pH (undiluted)	D1287	8.58	8.58
Reserve Alkalinity Typical (undiluted)	D1121	3.4	1.8
Freeze Point (undiluted)	D1177	–	-36°F (-37.8°C) min.
Boiling Point (undiluted)	D1120	339.3° F (170.7° C) min.	226.9° F (108.3° C) min.
Water by Weight (approx.)	D1123	3.1%	49.0% max.
Glassware Corrosion Test	D1177	Pass	Pass
Aluminum Corrosion Test	D4340	Pass	Pass
Simulated Service Test	D2570	Pass	Pass
Aluminum Water Pump Test	D2809	Pass	Pass
Silicates	–	None	None

Check out our “How to Use Fleetguard 3-Way Coolant Test Strips” <https://bit.ly/2vPOBN3>

Monitor your Cooling System

These quick and accurate tools are all you need:

- Dip and read test strips to easily test your coolant and water
 - Test freeze point and additive levels (CC2602)
 - Test glycol and water quality (CC2609 & CC2718)
- Refractometers (CC2806) that easily determine freeze point monitoring tools can help to determine if the coolant in your engine meets these limits.
- Monitor™ Coolant Analysis (CC2700) for when more detailed analysis is required – recommended 1x / year

CC2602



WF2123



CC2700

